




	size cm / mm	type	model	watt	CRI (RA)	kelvin (color)	lumen	lux	Hours
AQUA MEDIC	55	Aqualine T5	Plant Grow	24					
	85	Aqualine T5	Plant Grow	39					
	115	Aqualine T5	Plant Grow	54					
	145	Aqualine T5	Plant Grow	80					




55	Aqualine T5	Reef White	24		10000				
85	Aqualine T5	Reef White	39		10000				
115	Aqualine T5	Reef White	54		10000				
145	Aqualine T5	Reef White	80		10000				



ARCADIA	550mm	Arcadia T5	Fresh Water Pro Lamp	24 1B		6600	1900		
	850mm	Arcadia T5	Fresh Water Pro Lamp	39 1B		6600	3250		
	1150mm	Arcadia T5	Fresh Water Pro Lamp	54 1B		6600	4900		




550mm	Arcadia T5	Plant Pro Lamp	24 1B			1050			
850mm	Arcadia T5	Plant Pro Lamp	39 1B			1950			
1150mm	Arcadia T5	Plant Pro Lamp	54 1B			2800			
1450mm	Arcadia T5	Plant Pro Lamp	80 1B			3700			
438mm	Arcadia T5	Plant Pro Lamp	24 1B			1100			
590mm	Arcadia T5	Plant Pro Lamp	28 1B			1600			
742mm	Arcadia T5	Plant Pro Lamp	35 1B			1900			
895mm	Arcadia T5	Plant Pro Lamp	45 1B			2300			
1047mm	Arcadia T5	Plant Pro Lamp	54 1B			2750			
1200mm	Arcadia T5	Plant Pro Lamp	54 1B			2800			




550mm	Arcadia T5	Original Tropical Pro Lamp	24 1B			550			
850mm	Arcadia T5	Original Tropical Pro Lamp	39 1B			1150			
1150mm	Arcadia T5	Original Tropical Pro Lamp	54 1B			1500			
1450mm	Arcadia T5	Original Tropical Pro Lamp	80 1B			2000			
438mm	Arcadia T5	Original Tropical Pro Lamp	24 1B			440			

590mm	Arcadia T5	Original Tropical Pro Lamp	28 1B	550
742mm	Arcadia T5	Original Tropical Pro Lamp	35 1B	920
895mm	Arcadia T5	Original Tropical Pro Lamp	45 1B	1000
1047mm	Arcadia T5	Original Tropical Pro Lamp	54 1B	1400
1200mm	Arcadia T5	Original Tropical Pro Lamp	54 1B	1500




DENNERLE


43.8	Dennerle T5	Amazone Day uv stop	24	6000	1650	10000
54.9	Dennerle T5	Amazone Day uv stop	24	6000	1570	10000
59.0	Dennerle T5	Amazone Day uv stop	28	6000	2200	10000
74.2	Dennerle T5	Amazone Day uv stop	35	6000	2850	10000
84.9	Dennerle T5	Amazone Day uv stop	39	6000	2990	10000
89.5	Dennerle T5	Amazone Day uv stop	45	6000	3800	10000
104.7	Dennerle T5	Amazone Day uv stop	54	6000	4180	10000
114.9	Dennerle T5	Amazone Day uv stop	54	6000	4050	10000
120.0	Dennerle T5	Amazone Day uv stop	54	6000	4550	10000
144.9	Dennerle T5	Amazone Day uv stop	80	6000	5700	10000




43.8	Dennerle T5	Color Plus uv stop	24		680	10000
54.9	Dennerle T5	Color Plus uv stop	24		550	10000
59.0	Dennerle T5	Color Plus uv stop	28		880	10000
74.2	Dennerle T5	Color Plus uv stop	35		1100	10000
84.9	Dennerle T5	Color Plus uv stop	39		1050	10000
89.5	Dennerle T5	Color Plus uv stop	45		1500	10000
104.7	Dennerle T5	Color Plus uv stop	54		1740	10000
114.9	Dennerle T5	Color Plus uv stop	54		1500	10000
120.0	Dennerle T5	Color Plus uv stop	54		1800	10000
144.9	Dennerle T5	Color Plus uv stop	80		2000	10000




43.8	Dennerle T5	Special Plant uv stop	24	3000	1800	10000
54.9	Dennerle T5	Special Plant uv stop	24	3000	1700	10000
59.0	Dennerle T5	Special Plant uv stop	28	3000	2400	10000
74.2	Dennerle T5	Special Plant uv stop	35	3000	3000	10000
84.9	Dennerle T5	Special Plant uv stop	39	3000	3220	10000
89.5	Dennerle T5	Special Plant uv stop	45	3000	4000	10000
104.7	Dennerle T5	Special Plant uv stop	54	3000	4400	10000
114.9	Dennerle T5	Special Plant uv stop	54	3000	4450	10000
120.0	Dennerle T5	Special Plant uv stop	54	3000	5000	10000
144.9	Dennerle T5	Special Plant uv stop	80	3000	6150	10000






Giesemann	550mm	Giesemann POWERCHROME	T-5 aquaflora	24	white/red	1300
	850mm	Giesemann POWERCHROME	T-5 aquaflora	39	white/red	2300
	1150mm	Giesemann POWERCHROME	T-5 aquaflora	54	white/red	3400
	1450mm	Giesemann POWERCHROME	T-5 aquaflora	80	white/red	4600



	550mm	Giesemann POWERCHROME	T-5 midday	24 1A	6000	1400
	850mm	Giesemann POWERCHROME	T-5 midday	39 1A	6000	2450
	1150mm	Giesemann POWERCHROME	T-5 midday	54 1A	6000	3500
	1450mm	Giesemann POWERCHROME	T-5 midday	80 1A	6000	4900



HAGEN	55 Hagen T5	Life glo	24	6700	1700	187	9000
	85 Hagen T5	Life glo	39	6700	3000	314	12000
	115 Hagen T5	Life glo	54	6700	4300	422	12000
	55 Hagen T5	Power glo	24	18000	900	122	9000
	85 Hagen T5	Power glo	39	18000	1500	181	12000
	115 Hagen T5	Power glo	54	18000	2150	233	12000

HAQUOSS	288mm	Haquoss	Solamax T5	8	7500k	
	288mm	Haquoss	Icewhite T5	8	12000k	
	438mm	Haquoss	Icewhite T5	24	12000k	
	549mm	Haquoss	Icewhite T5	24	12000k	
	849mm	Haquoss	Icewhite T5	39	12000k	
	895mm	Haquoss	Icewhite T5	45	12000k	
	1047mm	Haquoss	Icewhite T5	54	12000k	
	1149mm	Haquoss	Icewhite T5	54	12000k	
	288mm	Haquoss	Phytolux T5	8	25000k	
	438mm	Haquoss	Phytolux T5	24	25000k	
	549mm	Haquoss	Phytolux T5	24	25000k	
	849mm	Haquoss	Phytolux T5	39	25000k	
	895mm	Haquoss	Phytolux T5	45	25000k	
	1047mm	Haquoss	Phytolux T5	54	25000k	
	1149mm	Haquoss	Phytolux T5	54	25000k	




SOLARMAX
T5 - 7.500°K

Lampada ideale per acquari d'acqua dolce. Grazie ai 7500°K, ottima come luce di complemento con la HAQUOSS PHYTOLUX per simulare la luce del sole per la fotosintesi. Adatta anche per terrari e paludari.

This lamp is ideal for freshwater aquarium in combination with HAQUOSS PHYTOLUX. It has a colour temperature of 7500°K to simulate sunlight and stimulate the photosynthesis process. It is also suitable for turtle tanks and paludariums.

4.1.79.140
Haquoss SOLARMAX
T5 - 8 Watt/288mm


8 032750 261480



ICEWHITE

12.000°K

T5
39 Watt
849 mm L
16 mm Ø




PHYTOLUX

25.000°K


T5
8 Watt
288 mm L
16 mm Ø

JBL


60 JBL T5	Solar Tropic	28 90+ (1A)	4000	20000
75 JBL T5	Solar Tropic	35 90+ (1A)	4000	20000
85 JBL T5	Solar Tropic	39 90+ (1A)	4000	20000
90 JBL T5	Solar Tropic	45 90+ (1A)	4000	20000
105 JBL T5	Solar Tropic	54 90+ (1A)	4000	20000
120 JBL T5	Solar Tropic	54 90+ (1A)	4000	20000
145 JBL T5	Solar Tropic	80 90+ (1A)	4000	20000



60 JBL T5	Solar Natur	28 90+ (1A)	9000	20000
75 JBL T5	Solar Natur	35 90+ (1A)	9000	20000
85 JBL T5	Solar Natur	39 90+ (1A)	9000	20000
90 JBL T5	Solar Natur	45 90+ (1A)	9000	20000
105 JBL T5	Solar Natur	54 90+ (1A)	9000	20000
120 JBL T5	Solar Natur	54 90+ (1A)	9000	20000
145 JBL T5	Solar Natur	80 90+ (1A)	9000	20000




60 JBL T5	Solar Color	28		20000
75 JBL T5	Solar Color	35		20000
85 JBL T5	Solar Color	39		20000
90 JBL T5	Solar Color	45		20000
105 JBL T5	Solar Color	54		20000
120 JBL T5	Solar Color	54		20000
145 JBL T5	Solar Color	80		20000




JUWEL

438mm	Juwel T5	Nature	24	4100	1300
590mm	Juwel T5	Nature	28	4100	1800
742mm	Juwel T5	Nature	35	4100	2300
895mm	Juwel T5	Nature	45	4100	3300


1047mm	Juwel T5	Nature	54	4100	3600
1200mm	Juwel T5	Nature	54	4100	4000



438mm	Juwel T5	Color	24	6800	1300
590mm	Juwel T5	Color	28	6800	1700
742mm	Juwel T5	Color	35	6800	2200
895mm	Juwel T5	Color	45	6800	2900
1047mm	Juwel T5	Color	54	6800	3500
1200mm	Juwel T5	Color	54	6800	3900




438mm	Juwel T5	Daylight	24	9000	1200
590mm	Juwel T5	Daylight	28	9000	1600
742mm	Juwel T5	Daylight	35	9000	2100
895mm	Juwel T5	Daylight	45	9000	2800
1047mm	Juwel T5	Daylight	54	9000	3200
1200mm	Juwel T5	Daylight	54	9000	3800



SERA


43,8 Sera T5	Daylight brilliant	24	6000	1200 850*
59 Sera T5	Daylight brilliant	28	6000	2200 1200*
74,2 Sera T5	Daylight brilliant	35	6000	3000 1450*
89,5 Sera T5	Daylight brilliant	45	6000	3900 1600*
104,7 Sera T5	Daylight brilliant	54	6000	4700 1700*
120 Sera T5	Daylight brilliant	54	6000	5100 1750*



	24 W	28 W	35 W
 P	4.000 lx 1.850 lx 850 lx	5.200 lx 2.500 lx 1.200 lx	6.300 lx 3.100 lx 1.450 lx
Φ	1.200 lm	2.200 lm	3.000 lm
	45 W	54 W sh.	54 W lg.
 P	7.000 lx 3.400 lx 1.600 lx	7.200 lx 3.500 lx 1.700 lx	7.400 lx 3.650 lx 1.750 lx
Φ	3.900 lm	4.700 lm	5.100 lm

43,8 Sera T5	Plant Color	24	4900	750 450*
59 Sera T5	Plant Color	28	4900	1100 600*
74,2 Sera T5	Plant Color	35	4900	1500 700*
89,5 Sera T5	Plant Color	45	4900	1900 750*
104,7 Sera T5	Plant Color	54	4900	2500 800*

120 Sera T5	Plant Color	54	4900	2600 850*
-------------	-------------	----	------	-----------




	P	24 W	28 W	35 W
		1.900 lx 950 lx 450 lx	2.800 lx 1.350 lx 600 lx	3.200 lx 1.550 lx 700 lx
	Φ	750 lm	1.100 lm	1.500 lm
	P	45 W	54 W sh.	54 W lg.
		3.400 lx 1.600 lx 750 lx	3.500 lx 1.650 lx 800 lx	3.600 lx 1.700 lx 850 lx
	Φ	1.900 lm	2.500 lm	2.600 lm

SYLVANIA

288mm	Sylvania T5	Gro Lux	8	6	8500	120	10000
438mm	Sylvania T5	Gro Lux	24	6	8500		
549mm	Sylvania T5	Gro Lux	24	6	8500	550	20000
590mm	Sylvania T5	Gro Lux	28	6	8500		
742mm	Sylvania T5	Gro Lux	35	6	8500		
849mm	Sylvania T5	Gro Lux	39	6	8500	1050	20000
895mm	Sylvania T5	Gro Lux	45	6	8500		
1047mm	Sylvania T5	Gro Lux	54	6	8500		
1149mm	Sylvania T5	Gro Lux	54	6	8500	1500	20000
1200mm	Sylvania T5	Gro Lux	54	6	8500		
1449mm	Sylvania T5	Gro Lux	80	6	8500	2500	

Grolux



438mm	Sylvania T5	Aquastar	24	48	10000	900
549mm	Sylvania T5	Aquastar	24	48	10000	1120
590mm	Sylvania T5	Aquastar	28	48	10000	1200
742mm	Sylvania T5	Aquastar	35	48	10000	1700
849mm	Sylvania T5	Aquastar	39	48	10000	1960
895mm	Sylvania T5	Aquastar	45	48	10000	2100
1047mm	Sylvania T5	Aquastar	54	48	10000	2500
1149mm	Sylvania T5	Aquastar	54	48	10000	2800
1200mm	Sylvania T5	Aquastar	54	48	10000	2900
1449mm	Sylvania T5	Aquastar	80	48	10000	3500

Aquastar

